



Unit Illustrated: IDV44NE2 Direct Vent Insert (Natural Gas), MQLOGF453 Log Set (Driftwood), MQRSP11 Support Platform (Driftwood), MQ44CV3BL Clean View (Black), MQ44SF1BL Door Frame (Black), I44S4432BL Surround (Black), IDV36RLT Brick Liner.

CAPRI 34/44

**DIRECT VENT GAS FIREPLACE INSERT
FLUSH MOUNT SERIES**

 **marquis**
COLLECTION

CAPRI

INSERT YOUR STYLE HERE

The **CAPRI** Insert is a wonder, able to transform an existing wood burning fireplace into an updated focal point in any room. This Flush Mount Series is available in two sizes and your choice of liner, driftwood, oak or birch log set, decorative stone, or five different colors of crushed glass media.

With so many options, you'll find the **CAPRI** is perfectly attuned to your décor vision.

Visit marquisfireplaces.net to see the latest evolution in fireplaces.

STANDARD FEATURES

- Dual Burner with glowing embers and decorative ash bed
- Millivolt or IPI (Intermittent Pilot Ignition) valve system allows operation during power failure with adjustable flame control
- Heat activated blower with variable speed control
- Heat radiating Ceramic Glass
- On/Off Rocker switch
- Proflame II Models include Remote Control – features flame, fan, thermostat, and smart thermostat (WIFI Compatibility*): IDV34NE2, IDV34LPE2, IDV44NE2, IDV44LPE2 Models only
- Safety Screen Barrier



* Amazon Alexa, Google Home, Smartphone

OPTIONAL FEATURES

Designer Doors and Frames (Black):

For use with CV3 Clean View – Designer Door and Door Frame c/w Invisi-Mesh

Surrounds:

Black; Picture Frame or Universal

Liners:

Traditional Brick, Herringbone Brick, Porcelain Reflective or Fluted

Media Options:

Decorative Stones, Ember Chunks, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Natural Rocks, or Multi-Colored Rocks

Log Sets:

Choice of Two Split Oak Sets, Two Driftwood Sets, or a Birch Log Set

Thermostats:

Standard On/Off or Programmable (wall mount)



Unit Illustrated: IDV34NE2 Direct Vent Fireplace
Insert (Natural Gas), MQ34CV3BL Clean View
(Black), MQ34DD1BL Designer Door (Black),
MQLOGF34 Split Oak Log Set, IDV33RL
Refractory Brick Liner (Traditional).



CAPRI VARIATIONS

CLEAN VIEW CV3 WITH DOOR FRAME



Unit Illustrated: IDV34NE2 Direct Vent Insert (Natural Gas), MORBD4 Driftwood Log Set (3 Piece), MORSP11 Support Platform for Driftwood, MOG5C Glass Media Bronze x3, MQ34CV3BL Clean View (Black), MQ34SF1BL Door Frame (Black), IDV33PRL Porcelain Reflective Liner.

CLEAN VIEW CV6 WITH BACKER SURROUND



Unit Illustrated: Model IDV34LPE2 Direct Vent Fireplace Insert (Propane), LOGF35 Log Set (Split Oak), I34CV6BL Clean View with Backer Surround (Black), IDV33RL Brick Liner.

CLEAN VIEW CV3 WITH DESIGNER DOOR & SURROUND



Unit Illustrated: IDV34NE2 Direct Vent Insert (Natural Gas), MQ34CV3BL Clean View (Black), MQ34DD1BL Designer Door (Black), I34S3927BL Surround (Black), MORBRW Birch Log Set, MORSP11 Log Support Platform, MOG5C Glass Media Bronze x3, IDV33PRL Porcelain Liner.

CAPRI PRODUCT SPECIFICATIONS

MODEL	IDV34N/NE IDV34NE2	IDV34LP/LPE IDV34LPE2	IDV44N/NE IDV44NE2	IDV44LP/LPE IDV44LPE2
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
Input Max.	31,000 BTU	28,500 BTU	34,250 BTU	30,000 BTU
Input Min.	20,900 BTU	23,100 BTU	24,000 BTU	22,840 BTU
Glass Size	25 5/8"W x 14 1/8"H	25 5/8"W x 14 1/8"H	29 7/8"W x 18 3/8"H	29 7/8"W x 18 3/8"H
FE (P.4.1-15)	62.86% / 64.73%	63.63% / 68.30%	60.18% / 61.70%	60.20% / 61.85%
Venting	3" / 3"	3" / 3"	4" / 3"	4" / 3"

CLEAN VIEW CV1 WITH DOOR FRAME & SURROUND



Unit Illustrated: IDV34NE2 Direct Vent Fireplace Insert (Natural Gas), I34CV1BL Clean View (Black), MQRSP8 Glass Support Platform, MQSTONE Decorative Stones.

CLEAN VIEW CV2 WITH SURROUND



Unit Illustrated: IDV44NE2 Direct Vent Fireplace Insert (Natural Gas), MQ44CV2BL Clean View (Black), LOGF36 Log Set (Fibre Split Oak), I44S4432BL Surround (Black), IDV36RLT Refractory Brick Liner (Traditional).

CLEAN VIEW CV4 WITH PICTURE FRAME



Unit Illustrated: IDV34NE2 Direct Vent Insert (Natural Gas), MQ34CV4PFBL Clean View – Picture Frame (Black), MQ34SF1BL Door Frame (Black), MQRSP8 Glass Support Platform, MQG5A Decorative Ember Glass (Cobalt Blue), IDV33PRL Porcelain Reflective Liner.

IDV34

IDV44

CLEAN VIEW KITS (REQUIRED) AND SURROUNDS (IF NEEDED)

Minimum Fireplace Opening	Width	Height	Depth
I34CV1 / MQ34CV2 / MQ34CV3 / MQ34CV4PF	28 5/8"	21 1/2"	17 3/4"
I34CV6BL	26 1/4"	21 1/2"	15 3/4"

Clean View Kits	Width	Height	Depth
I34CV1BL (Clean View)**	35 1/4"	24 3/16"	13 1/16"
I34CV6BL (Clean View)**	37 5/8"	26 15/16"	2 3/4"
MQ34CV2BL (Clean View)**	35 5/8"	24 1 1/16"	1 3/4"

**Safety Screen Barrier – Standard Mesh.

Clean View Kit – with Screen Door or Designer Frame

	Width	Height	Depth
MQ34CV3BL (Clean View)*	37 1/8"	25 3/16"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)**			
MQ34SF1BL (Door Frame)**			

*NOTE: When using an MQ34CV3BL a Designer Door or Door Frame is required.

**Safety Screen Barrier – Invisi-Mesh.

Clean View Picture Frame	Width	Height	Depth
MQ34CV4PFBL (Clean View)*	37 1/8"	27 3/8"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)**			
MQ34SF1BL (Door Frame)**			

*NOTE: When using an MQ34CV4PFBL a Designer Door or Door Frame is required.

**Safety Screen Barrier – Invisi-Mesh.

Surrounds	Width	Height
I34S3927BL (Surround)	39"	27 5/16"
I34SPF4131BL (Surround Picture Frame)	41 1/8"	31 3/8"
I34SU4541BL (Surround Universal)*	45"	41"

*Trim to Size

Minimum Fireplace Opening	Width	Height	Depth
I44CV1 / MQ44CV2 / MQ44CV3	32 7/8"	25 3/4"	18"

Clean View Kits	Width	Height	Depth
I44CV1BL (Clean View)**	39 9/16"	28 1/2"	13 1/16"
MQ44CV2BL (Clean View)**	39 5/8"	29 1/16"	1 3/4"

**Safety Screen Barrier – Standard Mesh.

Clean View Kit – with Screen Door or Designer Frame

	Width	Height	Depth
MQ44CV3BL (Clean View)*	41 7/16"	29 1/8"	1 7/16"
MQ44DD1BL (Designer Door – Series 1)**			
MQ44SF1BL (Door Frame)**			

*NOTE: When using an MQ44CV3BL a Designer Door or Door Frame is required.


**Safety Screen Barrier – Invisi-Mesh.

Surrounds	Width	Height
I44S4432BL (Surround)	44"	32 1/16"
I44SPF4436BL (Surround Picture Frame)	44"	36"
I44SU4742BL (Surround Universal)*	47"	42"



*Trim to Size

DIMENSIONS

FRONT VIEW



SIDE VIEW



TOP VIEW

	IDV34	IDV44
A	28 5/8"	32 7/8"
B	14 1/8"	18 3/8"
C	25 5/8"	29 7/8"
D	3"	4"
E	3"	3"
F	21 3/8"	25 3/4"
G	18 1/4"	18 9/16"
H	28 9/16"	32 7/8"
I	21 1/4"	25 3/4"
J	18 1/4"	18 9/16"



Unit Illustrated:
IDV34NE2 Direct Vent
Insert (Natural Gas),
MQ34CV4PFBL Clean
View (Picture Frame
– Black), MQ34SF1BL
Door Frame (Black),
MQLOGF33 Driftwood
Log Set, MQRSP11
Support Platform for
Driftwood, IDV33PRL
Porcelain Reflective
Liner.

VENTING

IDVVT36	Vertical Vent Termination
IDVFK25	Flex Pipe Kit
IDVLCP	Block Off Plate – for Lower Chase
ZDV3FC	Flex Connector 3" Diameter

*MG Duravent (Order Kit #46DVA-CL33)

IDVVT43	Vertical Vent Termination
I43FK25	Flex Pipe Kit
I43LCP	Block Off Plate – for Lower Chase
ZDV3FC	Flex Connector 3" Diameter
ZDV4FC	Flex Connector 4" Diameter

*MG Duravent (Order Kit #46DVA-CL34)

CAPRI ACCESSORIES

DESIGNER DOORS & FRAMES

REQUIRED FOR MQ34CV3,
MQ34CV4PF AND MQ44CV3

LOG SETS



MQLOGF34
Fiber Split Oak
(for IDV34/44)



LOGF35
Fiber Split Oak
(for IDV34)



LOGF36
Fiber Split Oak
(for IDV44)



MQLOGF33
MQLOGF453
Driftwood
(MQRSP11 required)



MQRBD4
Driftwood
(MQRSP11 and 15 lbs
Glass Media required)



MQRBRW
Birch
(MQRSP11 and 15 lbs
Glass Media required)




Designer Frame




Designer Door

MEDIA OPTIONS

REQUIRES GLASS SUPPORT PLATFORM (MQRSP8) OR ROCK SUPPORT PLATFORM (MQRSP4)



MQG5ZG
Zircon Glacier
Ice Glass



MQG5A
Cobalt
Ember Glass



MQG5B
Black
Ember Glass



MQG5C
Bronze
Ember Glass



MQG5W
White
Ember Glass



MQEMBER
Ember
Chunks



MQSTONE
Decorative
Stones



MQSTONE10
Decorative
Stones



MQROCK2
Natural
Rock Set



MQROCK3
Multi-Colored
Rock Set

LINERS



IDV33RL
IDV36RLT
Traditional Brick



IDV36RLH
Herringbone Brick
(IDV44 only)



MQ33RLF
MQ43RLF
Fluted



IDV33PRL
IDV36PRL
Porcelain Reflective

Unit Illustrated: IDV44NE2 Direct Vent
Insert (Natural Gas), LOGF36 Oak Log Set,
MQ44CV2BL Clean View (Black), I44S4432BL
Surround (Black), IDV36RLT Brick Liner.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: These Models are certified to ANSI Z21.88-2017 CSA 2.33-2017 Vented Gas Fireplace Heaters.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Canada

ENERGUIDE

Look for the **EnerGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15



FOR CALIFORNIA RESIDENTS ONLY:
WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B105 - 01/2022